

Day : Thursday
Date: 1/26/2006

Time: 13:49:31

PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = SUZUKI

First Name = AKIKO

Application#	Patent#	Status	Date Filed	Title	Inventor Name
06309764	4430320	250	10/08/1981	RADIOACTIVE DIAGNOSTIC AGENT	SUZUKI, AKIKO
07133623	4933979	150	12/16/1987	DATA READING APPARATUS FOR READING DATA FROM FORM SHEET	SUZUKI, AKIKO
07791200	Not Issued	166	11/13/1991	METHOD OF PROCESSING PAPER OR PULP	SUZUKI, AKIKO
07862990	5258280	150	04/06/1992	LIGHT-SENSITIVE SILVER HALIDE PHOTOGRAPHIC MATERIAL	SUZUKI, AKIKO
08086038	5474776	150	07/06/1993	COSMETIC COMPOSITION	SUZUKI, AKIKO
08141111	5376521	150	10/21/1993	SILVER HALIDE PHOTOGRAPHIC LIGHT-SENSITIVE MATERIAL AND A METHOD FOR PROCESSING THE SAME	SUZUKI, AKIKO
08171765	Not Issued	161	12/22/1993	METHOD OF PROCESSING PAPER OF PULP	SUZUKI, AKIKO
08262280	5436123	250	06/20/1994	SILVER HALIDE PHOTOGRAPHIC LIGHT-SENSITIVE MATERIALS	SUZUKI, AKIKO
08989340	6063366	150	12/11/1997	COSMETIC COMPOSITION	SUZUKI, AKIKO
09147077	6197343	150	10/01/1998	SKIN COLOR IMPROVER	SUZUKI, AKIKO
09946755	6858154	150	09/04/2001	THERMOELECTRIC MATERIAL AND METHOD OF MANUFACTURING THE SAME	SUZUKI, AKIKO
10182262	Not Issued	41	11/13/2002	Molecule transferring device, auxiliary for molecule transferring device, and molecule transferring	SUZUKI, AKIKO

				method	
10806579	Not Issued	71	03/22/2004	Optical element assembly and method of making the same	SUZUKI, AKIKO
10870784	Not Issued	41	06/16/2004	Optical recording device	SUZUKI, AKIKO
10959641	Not Issued	71	10/05/2004	Optical sensor and method of manufacturing the same	SUZUKI, AKIKO
11008606	Not Issued	30	12/08/2004	Dry etching method and photonic crystal device fabricated by use of the same	SUZUKI, AKIKO
11073370	Not Issued	30	03/04/2005	Infrared sensor	SUZUKI, AKIKO
11155728	Not Issued	30	06/16/2005	Electromagnetic wave transmitting/receiving device	SUZUKI, AKIKO
29160551	D488383	150	05/14/2002	COMBINED BOTTLE AND CAP	SUZUKI, AKIKO
29160552	D477536	150	05/14/2002	COMBINED BOTTLE AND CAP	SUZUKI, AKIKO

Inventor Search Completed: No Records to Display.

Search Another: Inventor	Last Name	First Name	<input type="button" value="Search"/>
	<input type="text" value="SUZUKI"/>	<input type="text" value="AKIKO"/>	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

	Type	Hits	Search Text
1	BRS	1	10/806579
2	BRS	1	10/806579
3	BRS	1	S2 and (platform\$1 chip\$1 same (protrud\$4 convex\$5 mount\$4) groov\$3 recess\$3 same mount\$4)
4	BRS	1	S2 and (platform\$1 chip\$1 same (protrud\$4 convex\$5 mount\$4) groov\$3 (recess\$3 grrov\$2) same mount\$4 align\$5 same ax\$5)
5	BRS	1	S2 and (chip\$1 same (protrud\$4 same convex\$5))
6	BRS	1	S2 and (seld laser\$1)
7	BRS	277288	chips
8	BRS	23382	((chip\$1 near7 (filter\$4)) vertical near2 cavit\$4 near3 emitt\$4 near2 laser\$1 vcsel\$1)
9	BRS	361	(chip\$1 vertical near2 cavit\$4 near3 emitt\$4 near2 laser\$1 vcsel\$1) near12 groov\$2 same (waveguide\$1 fiber\$1 fibre\$1) near12 (recess\$1 groov\$2) same (substra\$4 wafer platform)
10	BRS	43	S8 and S9
11	BRS	898	(chip\$1 vertical near2 cavit\$4 near3 emitt\$4 near2 laser\$1 vcsel\$1) near12 (cavit\$3 pyramid taper\$3 convex\$3 slop\$2) same (groov\$3)
12	BRS	11	S10 and S11
13	BRS	1763	(chip\$1 vertical near2 cavit\$4 near3 emitt\$4 near2 laser\$1 vcsel\$1) same groov\$2 same (waveguide\$1 fiber\$1 fibre\$1)
14	BRS	30622	flip\$3 near2 chip\$2
15	BRS	18119	(chip\$1) near12 (waveguide\$1 fiber\$1 fibre\$1)
16	BRS	153	S7 and S13 and S14 and S15

	DBs	Time Stamp	Comments	Error Definition
1	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 15:59		
2	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 15:59		
3	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 16:05		
4	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 17:00		
5	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 18:03		
6	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 18:17		
7	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 18:17		
8	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 18:20		
9	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 18:43		
10	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 18:25		
11	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 18:29		
12	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 18:30		
13	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 19:31		
14	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 12:43		
15	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 19:28		
16	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 18:46		

	Errors	Ref #
1		S1
2		S2
3		S3
4		S4
5		S5
6		S6
7		S7
8		S8
9		S9
10		S10
11		S11
12		S12
13		S13
14		S14
15		S15
16		S16

	Type	Hits	Search Text
17	BRS	2836	chip\$2 near12 (convenx\$3 concav\$3)
18	BRS	6	S16 and S17
19	BRS	1705	(chip\$1) same groov\$2 same (waveguide\$1 fiber\$1 fibre\$1)
20	BRS	6	S18 and S19
21	BRS	150	S16 and S19
22	BRS	2265	(chip\$1) near12 coupl\$4 near12 (waveguide\$1 fiber\$1 fibre\$1)
23	BRS	100	S21 and S22
24	BRS	100	S23 and chips
25	BRS	79	S23 and chips and (chip\$2 same wafer\$1)
26	BRS	1671	(dye\$1) near12 coupl\$4 near12 (waveguide\$1 fiber\$1 fibre\$1)
27	BRS	111	(dye\$1) same groov\$2 same (waveguide\$1 fiber\$1 fibre\$1)
28	BRS	56333	(dye\$1 chip\$1) near12 (waveguide\$1 fiber\$1 fibre\$1)
29	BRS	1873	(chip\$1 vertical near2 cavit\$4 near3 emitt\$4 near2 laser\$1 vcsel\$1 dye\$1) same groov\$2 same (waveguide\$1 fiber\$1 fibre\$1)
30	BRS	59133	(chip\$2 same wafer\$1)
31	BRS	0	S27 and S28 and S29 and S30 and S31
32	BRS	4	S27 and S28 and S29 and S30
33	BRS	972	chip\$3 near12 dye\$1
34	BRS	0	S33 and S34
35	BRS	0	S33 and chip\$1
36	BRS	199	(ic\$1) near12 coupl\$4 near12 (waveguide\$1 fiber\$1 fibre\$1)

	DBs	Time Stamp	Comments	Error Definition
17	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 18:46		
18	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 18:46		
19	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 19:28		
20	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 18:49		
21	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 11:22		
22	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 19:27		
23	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 19:02		
24	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 11:23		
25	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 11:42		
26	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 19:36		
27	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 19:37		
28	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 19:37		
29	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 19:38		
30	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 19:32		
31	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 19:34		
32	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 19:34		
33	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 19:34		
34	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 19:35		
35	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 19:35		
36	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 19:39		

	Errors	Ref #
17		S17
18		S18
19		S19
20		S20
21		S21
22		S22
23		S23
24		S24
25		S26
26		S27
27		S28
28		S29
29		S30
30		S31
31		S32
32		S33
33		S34
34		S35
35		S36
36		S37

	Type	Hits	Search Text
37	BRS	1862	(IC chip\$1) same groov\$2 same (waveguide\$1 fiber\$1 fibre\$1)
38	BRS	2411	(Ic\$1 chip\$1) near12 coupl\$4 near12 (waveguide\$1 fiber\$1 fibre\$1)
39	BRS	1862	((IC chip\$1)) same groov\$2 same (waveguide\$1 fiber\$1 fibre\$1)
40	BRS	22253	(IC\$1 chip\$1) near12 (waveguide\$1 fiber\$1 fibre\$1)
41	BRS	2010	(chip\$1 vertical near2 cavit\$4 near3 emitt\$4 near2 laser\$1 vcsel\$1 IC\$1) same groov\$2 same (waveguide\$1 fiber\$1 fibre\$1)
42	BRS	2411	(ic\$1 chip\$1) near12 coupl\$4 near12 (waveguide\$1 fiber\$1 fibre\$1)
43	BRS	135	S14 and S38 and S39 and S40 and S41 and S42 and S43
44	BRS	35	S44 not S23
45	BRS	277288	chips
46	BRS	1763	(chip\$1 vertical near2 cavit\$4 near3 emitt\$4 near2 laser\$1 vcsel\$1) same groov\$2 same (waveguide\$1 fiber\$1 fibre\$1)
47	BRS	30622	flip\$3 near2 chip\$2
48	BRS	18119	(chip\$1) near12 (waveguide\$1 fiber\$1 fibre\$1)
49	BRS	153	S46 and S47 and S48 and S49
50	BRS	1705	(chip\$1) same groov\$2 same (waveguide\$1 fiber\$1 fibre\$1)
51	BRS	150	S50 and S51
52	BRS	2265	(chip\$1) near12 coupl\$4 near12 (waveguide\$1 fiber\$1 fibre\$1)
53	BRS	100	S52 and S53
54	BRS	1862	(IC chip\$1) same groov\$2 same (waveguide\$1 fiber\$1 fibre\$1)
55	BRS	2411	(Ic\$1 chip\$1) near12 coupl\$4 near12 (waveguide\$1 fiber\$1 fibre\$1)
56	BRS	1862	((IC chip\$1)) same groov\$2 same (waveguide\$1 fiber\$1 fibre\$1)

	DBs	Time Stamp	Comments	Error Definition
37	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 19:36		
38	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 19:36		
39	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 19:37		
40	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 19:37		
41	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 19:38		
42	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 19:39		
43	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/24 19:40		
44	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 10:16		
45	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 10:16		
46	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 10:16		
47	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 10:16		
48	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 10:16		
49	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 10:16		
50	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 10:16		
51	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 10:16		
52	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 10:16		
53	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 10:16		
54	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 10:16		
55	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 10:16		
56	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 10:16		

	Errors	Ref #
37		S38
38		S39
39		S40
40		S41
41		S42
42		S43
43		S44
44		S45
45		S46
46		S47
47		S48
48		S49
49		S50
50		S51
51		S52
52		S53
53		S54
54		S55
55		S56
56		S57

	Type	Hits	Search Text
57	BRS	22253	(IC\$1 chip\$1) near12 (waveguide\$1 fiber\$1 fibre\$1)
58	BRS	2010	(chip\$1 vertical near2 cavit\$4 near3 emitt\$4 near2 laser\$1 vcsel\$1 IC\$1) same groov\$2 same (waveguide\$1 fiber\$1 fibre\$1)
59	BRS	2411	(ic\$1 chip\$1) near12 coupl\$4 near12 (waveguide\$1 fiber\$1 fibre\$1)
60	BRS	135	S48 and S55 and S56 and S57 and S58 and S59 and S60
61	BRS	35	S61 not S54
62	BRS	1435906	chip\$1 near5 fit\$3 same coupl\$4 (fiber\$1 fibre\$1 waveguide\$1)
63	BRS	43	chip\$1 near5 fit\$3 same coupl\$4 same (fiber\$1 fibre\$1 waveguide\$1)
64	BRS	5	chip\$1 near5 fit\$3 same coupl\$4 same (fiber\$1 fibre\$1 waveguide\$1) near7 groov\$2
65	BRS	7	chip\$1 near5 plac\$3 same coupl\$4 same (fiber\$1 fibre\$1 waveguide\$1) near7 groov\$2
66	BRS	98	chip\$1 near7 (wafer substrate\$1) same coupl\$4 same (fiber\$1 fibre\$1 waveguide\$1) near7 groov\$2
67	BRS	77	S67 not (S54 S62 S66)
68	BRS	150	S50 and S51
69	BRS	100	S54 and chips
70	BRS	77	S67 not (S54 S62 S66 S71)
71	BRS	101	chip\$1 near7 (cavity groove) same coupl\$4 same (fiber\$1 fibre\$1 waveguide\$1) near7 groov\$2
72	BRS	0	S74 and (chip\$1 cavit\$3 groov\$2) near7 convex\$5
73	BRS	79	S73 not (S54 S62 S66 S71)
74	BRS	79	S54 and chips and (chip\$2 same wafer\$1)
75	BRS	45	S69 not (S68 S72 S54 S62 S66 S71)

	DBs	Time Stamp	Comments	Error Definition
57	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 10:16		
58	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 10:16		
59	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 10:16		
60	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 10:16		
61	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 10:33		
62	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 10:34		
63	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 10:35		
64	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 10:37		
65	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 11:19		
66	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 11:25		
67	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 11:23		
68	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 11:22		
69	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 11:23		
70	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 11:27		
71	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 12:39		
72	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 11:28		
73	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 11:43		
74	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 12:16		
75	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 12:47		

	Errors	Ref #
57		S58
58		S59
59		S60
60		S61
61		S62
62		S63
63		S64
64		S65
65		S66
66		S67
67		S68
68		S69
69		S71
70		S72
71		S73
72		S75
73		S74
74		S76
75		S77

	Type	Hits	Search Text
76	BRS	4	("20050207695" "20050058408" "20020097962" "5675684").pn.
77	BRS	4	S78 and S76
78	BRS	87	optic\$2 adj4 (cavity groove recess) adj5 (wafer substrate platform) same optic\$3 near5 coupl\$4 near12 (fiber\$1 fibre\$1 waveguide\$1) near7 (recess groov\$2)
79	BRS	30622	flip\$3 near2 chip\$2
80	BRS	2	S80 and S81
81	BRS	3	S80 and (chip\$3 same (photonic wafer))
82	BRS	17	S80 and chip\$1
83	BRS	12	S84 not (S77 S68 S72 S54 S62 S66 S71)
84	BRS	26	(fit\$4 insert\$4) adj4 (cavity groove recess) adj5 (wafer substrate platform) same optic\$3 near5 coupl\$4 near12 (fiber\$1 fibre\$1 waveguide\$1) near7 (recess groov\$2)
85	BRS	19	S86 not (S84 S77 S68 S72 S54 S62 S66 S71)
86	BRS	13	S87 and chip\$1
87	BRS	2	(chip\$1 vcsel laser filter pd ld) adj4 (cavity groove recess) adj5 (wafer substrate platform) same optic\$3 near5 coupl\$4 near12 (fiber\$1 fibre\$1 waveguide\$1) near7 (recess groov\$2)
88	BRS	6	(chip\$1 vcsel laser filter pd ld) adj4 (cavity groove recess) adj5 (wafer substrate platform) same optic\$3 near5 coupl\$4 near12 (fiber\$1 fibre\$1 waveguide\$1) near7 (recess groov\$2)
89	BRS	4	S90 not S89

	DBs	Time Stamp	Comments	Error Definition
76	US-PGPUB; USPAT	2006/01/25 12:14		
77	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 12:17		
78	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 12:51		
79	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 12:44		
80	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 12:45		
81	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 12:46		
82	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 12:46		
83	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 12:52		
84	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 12:56		
85	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 12:52		
86	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 12:53		
87	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 13:06		
88	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/26 10:38		
89	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/25 13:07		

	Errors	Ref #
76		S78
77		S79
78		S80
79		S81
80		S82
81		S83
82		S84
83		S85
84		S86
85		S87
86		S88
87		S89
88		S90
89		S91

	Type	Hits	Search Text
90	BRS	4	(chip\$1 vcsel laser filter pd ld) adj4 (insert\$4 fitt\$4 cavit\$4 recess\$4) adj5 (wafer substrate platform) same optic\$3 near5 coupl\$4 near12 (fiber\$1 fibre\$1 waveguide\$1) near7 (recess\$3 groov\$2)
91	BRS	1	(chip\$1 vcsel laser filter pd ld) adj4 (cavit\$4 recess\$4) adj5 (wafer substrate platform) same optic\$3 near5 coupl\$4 near12 (fiber\$1 fibre\$1 waveguide\$1) near7 (recess\$3 groov\$2)
92	BRS	1	"5675684".pn.

	DBs	Time Stamp	Comments	Error Definition
90	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/26 11:01		
91	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/26 10:41		
92	US-PGPUB; USPAT	2006/01/26 11:02		

	Errors	Ref #
90		S92
91		S93
92		S94